FORM PTO-1449 REPRODUCED			ATTY. DOCKET NO. 1855.1048-010	SERIAL NO.				
INFORMATION DISCLOSURE CITATION IN AN APPLICATION			APPLICANT Shixin Qin, et al.					
September 21, 2001			FILING DATE September 21, 20		GROUP			
		OTHER DOCUMENTS (Including Author	, Title, Date, Pertinent Pages, Etc.)					
2	AU	Proliferation by Macrophage Infl	bo, et al., "Inhibition of Immature Erythroid Progenitor Cell tion by Macrophage Inflammatory Protein-1α by Interacting Mainly With a kine Receptor, CCR1", Blood, 90(2):605-611 (1997)					
>	AV		Hepatitis Virus X Gene Encodes a Regulatory ation of X Protein", <i>The Journal of Biological</i> (1994)					
~	AW		n of Specific Polyclonal Antibodies to a C-C termination of CCR1 Expression on Various Types cyte Biology, 60:658-666 (1996)					
2	AX		lusto, Federica, et al., "Rapid and Coordinated Switch in Chemokine Receptor pression During Dendritic Cell Maturation", Eur. J. Immunol., 28:2760-2769					
~	AY		ar Cloning, Functional Expression, and Signaling ne Receptor", Cell, 72:415-425 (1993)					
>	AZ	10/28/98]. Retrieved from the In	Cell Surface Staining" [online] 1998 [retrieved on the Internet: <url: ss.com/search/mfs/02/subdoc/flow.html</url: 					
2	AR2	"Antibodies to Cytokines and Cytokine Receptors (A-H)" [online] 1998 [retrieved on 10/28/98]. Retrieved from the Internet: <url: 02="" anti.html<="" cytokine.rndsystems.com="" http:="" mfs="" search="" subdoc="" td=""></url:>						
>	AS2		olecular Cloning and Expression of the Murine nd Functional Conservation Between Mouse and Man", 1 (1992)					
2	AT2	Forssmann, Ulf, et al., "CKβ8, A Monocytes", FEBS Letters, 408:21	Novel CC Chemokine That Predominantly Acts on 1-216 (1997)					
2	AU2	Gong, Xiaoqi, et al., "Monocyte Chemotactic Protein-2 (MCP-2) Uses CCR1 and CCR2B as Its Functional Receptors", The Journal of Biological Chemistry", 272(18):11682-11685 (1997)						
	AV2	a Chemoattractant for Neutrophil	r Cloning of Leukotactin-1: A Novel Human β-Chemokine, trophils, Monocytes, and Lymphocytes, and a Potent ecceptors 1 and 3", <i>J. Immunol., 159</i> :5201-5205 (1997)					
2	AW2	Spliced Forms of Human B-Chemoki	., "Characterization of CKβ8 and CKβ8-1: Two Alternatively n β-Chemokine, Chemoattractants for Neutrophils, Monocytes, Potent Agonists at CC Chemokine Receptor 1", Blood,					
~	AX2		ar Cloning of cDNAs Encoding a LD78 Receptor and eptide Receptors", International Immunology,					
<u></u>	AY2		e and Functional Expression of the Human 1α/RANTES Receptor", <i>The Journal of</i> 1427 (1993)					
EXAMIN	IER	ou h		DATE CON	SIDERED			

FORM PTO-1449 REPRODUCED			ATTY. DOCKET NO. 1855.1048-010	SERIAL NO.				
INFORMATION DISCLOSURE CITATION IN AN APPLICATION			APPLICANT Shixin Qin, et al.					
September 21, 2001			PILING DATE September 21, 20	01	GROUP			
		OTHER DOCUMENTS (Including Author	, Title, Date, Pertinent Pages, Etc.)					
2	AZ2		et al., "Up-Regulation of CCR1 and CCR3 and Induction of mokines by INF-γ in Human Neutrophils", <i>The Journal of</i> 74-479 (1999)					
}	AR3		selection of MIP-1α neutralizing CCR5 antibodies body library", <i>Nature Biotechnology</i> , 16: 778-781					
2	AS3	Jakobovits, A., et al., "Analysis of homozygous mutant chimeric mice: Deletion of the immunoglobulin heavy-chain joining region blocks B-cell development and antibody production", Genetics, 90: 2551-2555 (1993).						
	AT3	Jakobovits, A., et al., "Germ-line transmission and expression of a human-derived yeast artificial chromosome", Nature, 362: 255-258 (1993).						
2	AU3	Sato, K., et al., "CC Chemokine Receptors, CCR-1 and CCR-3, are Potentially Involved in Antigen-Presenting Cell Function of Human Peripheral Blood Monocyte-Derived Dendritic Cells", Blood 93(1):34-42 (1999)						
	AV3	Durig, J. et al., "Expression of Macrophage Inflammatory Protein-1 α Receptors in Human CD34 $^+$ Hematopoietic Cells and Their Modulation by Tumor Necrosis Factor- α and Interferon- γ ", Blood 92(9):3073-3081 (1998)						
2	AW3	Johnston, B. et al., "Chronic Inflammation Upregulates Chemokine Receptors and Induces Neutrophil Migration to Monocyte Chemoattractant Protein-1", Journal of Clinical Investigation 103(9):1269-1276 (1999)						
2	AX3	Förster, R., et al., "A general method for screening mAbs specific for G-protein coupled receptors as exemplified by using epitope tagged BLR1-transfected 293 cells and solid-phase cell ELISA," Biochemical and Biophysical Research Communications 196(3):1496-1503 (1993).						
2	АУЗ	Chuntharapai, et al., "Generation of Monoclonal Antibodies to Chemokine Receptors," Methods in Enzymology 288:15027 (1997)						
~	AZ3	Emrich, T., et al., "New monoclonal antibody against leucocyte specific G protein coupled receptor - useful e.g. as antiinflammatory agent and for diagnosis of immune status, tumours, etc.," Abstract for reference DE 4332256C1 (AP).						
			·					
EXAMINER		Ja h	DATE CONSIDERED					